

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

<b>Trade name or designation of the mixture</b>	Husqvarna Grease Multi-Purpose
<b>Registration number</b>	-
<b>Synonyms</b>	None.
<b>Product code</b>	502 51 27-01 (225g.)
<b>Issue date</b>	01-March-2018
<b>Version number</b>	01
<b>Revision date</b>	-
<b>Supersedes date</b>	-

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

<b>Identified uses</b>	Lubricating grease.
<b>Uses advised against</b>	Use in accordance with supplier's recommendations.

**1.3. Details of the supplier of the safety data sheet**

<b>Company name</b>	Husqvarna AB Drottninggatan 2 561 82 Huskvarna, Sweden
<b>Telephone</b>	+46 (0)36-14 65 00
<b>Contact person</b>	Accessory Department
<b>E-mail</b>	sds.info@husqvarnagroup.com
<b>1.4. Emergency telephone number</b>	+1-760-476-3961 (Access code 333721)

**General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Classification according to Regulation (EC) No 1272/2008 as amended**

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

<b>Hazard pictograms</b>	None.
<b>Signal word</b>	None.
<b>Hazard statements</b>	The mixture does not meet the criteria for classification.

**Precautionary statements**

<b>Prevention</b>	Not assigned.
<b>Response</b>	Not assigned.
<b>Storage</b>	Not assigned.
<b>Disposal</b>	Not assigned.

**Supplemental label information** EUH210 - Safety data sheet available on request.

**2.3. Other hazards** Not a PBT or vPvB substance or mixture.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

## General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	< 2.5	4259-15-8 224-235-5	01-2119493635-27	-	
<b>Classification:</b>	Eye Dam. 1;H318, Aquatic Chronic 2;H411				

## List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** This product is a lithium grease based on mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346). The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.  
**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.  
**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.  
**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** Exposure may cause temporary irritation, redness, or discomfort.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** No unusual fire or explosion hazards noted.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).  
**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  
**Special fire fighting procedures** Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** In case of spills, beware of slippery floors and surfaces. Keep unnecessary personnel away.  
**For emergency responders** Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up** The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**6.4. Reference to other sections** For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices. Be aware of potential for surfaces to become slippery.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).
<b>7.3. Specific end use(s)</b>	Lubricating grease.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Occupational exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Recommended monitoring procedures</b>	Follow standard monitoring procedures.

### Derived no effect levels (DNELs)

#### General Population

Components	Value	Assessment factor	Notes
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8)			
Long-term, Systemic, Dermal	4.8 mg/kg bw/day	240	Repeated dose toxicity
Long-term, Systemic, Inhalation	1.67 mg/m <sup>3</sup>		Repeated dose toxicity
Long-term, Systemic, Oral	0.19 mg/kg bw/day	600	Repeated dose toxicity

#### Workers

Components	Value	Assessment factor	Notes
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8)			
Long-term, Systemic, Dermal	9.6 mg/kg bw/day	120	Repeated dose toxicity
Long-term, Systemic, Inhalation	6.6 mg/m <sup>3</sup>	30	Repeated dose toxicity

### Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8)			
Freshwater	4 µg/l		
Marine water	4.6 µg/l		
Secondary poisoning	8.33 mg/kg		
Sediment (freshwater)	0.322 mg/kg		
Sediment (marine water)	0.032 mg/kg		
Soil	0.062 mg/kg		
STP	3.8 mg/l		

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
---	---

### Individual protection measures, such as personal protective equipment

<b>General information</b>	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.
<b>Skin protection</b>	
- Hand protection	Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374. In full contact: Glove material: Nitrile rubber. Layer thickness: 0.4 mm. Breakthrough time: 480 min. In splash contact: Glove material: Nitril rubber Layer thickness: 0.1 mm Breakthrough time: 480 min.
- Other	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.

<b>Hygiene measures</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
-------------------------	---

<b>Environmental exposure controls</b>	Environmental manager must be informed of all major releases.
--	---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state	Liquid.
Form	Smooth. Semi-solid.
Colour	Yellow-brown.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 150.0 °C (> 302.0 °F) (Base oils)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	< 1 (25 °C)
Solubility(ies)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

### 9.2. Other information

Density	< 1000.00 kg/m <sup>3</sup> (25 °C)
---------	-------------------------------------

## SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
---------------------	--

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms	Exposure may cause temporary irritation, redness, or discomfort.
----------	--

### 11.1. Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
<b>Oral</b>		
LD50	Rat	3100 mg/kg
<b>Skin corrosion/irritation</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Serious eye damage/eye irritation</b>	The mixture is not classified based on the results of tests carried out on a very similar mixture. Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)	
<b>Respiratory sensitisation</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Skin sensitisation</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Germ cell mutagenicity</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Reproductive toxicity</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Specific target organ toxicity - single exposure</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Specific target organ toxicity - repeated exposure</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Aspiration hazard</b>	Due to partial or complete lack of data the classification is not possible.	
<b>Mixture versus substance information</b>	No information available.	
<b>Other information</b>	Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis.	

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Components	Species	Test Results
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8)		
<b>Aquatic</b>		
Fish	LL50	Rainbow trout ( <i>Oncorhynchus mykiss</i> ) 4.4 mg/l, 96 hours
	NOEC	Rainbow trout ( <i>Oncorhynchus mykiss</i> ) 3.2 mg/l, 96 hours

**12.2. Persistence and degradability** The product is expected to be biodegradable.

**12.3. Bioaccumulative potential** No data available.

**Partition coefficient n-octanol/water (log Kow)** Not available.

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Oil spills are generally hazardous to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EU waste code** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Special precautions** Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

### RID

14.1. - 14.6.: Not regulated as dangerous goods.

### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

### IATA

14.1. - 14.6.: Not regulated as dangerous goods.

### IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

**14.7. Transport in bulk** Not established.  
according to Annex II of  
**MARPOL 73/78 and the IBC**  
**Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (CAS 4259-15-8)

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

#### Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

#### National regulations

Follow national regulation for work with chemical agents.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

### List of abbreviations

EC50: Effective Concentration 50%.

LC50: Lethal Concentration 50%.

PBT: Persistent, bioaccumulative, toxic.

vPvB: very Persistent, very Bioaccumulative.

**References**

ECHA CHEM

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements not written out in full under Sections 2 to 15**

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.