

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture	Husqvarna 2-Stroke Oil Guard
Registration number	-
Synonyms	None.
Product code	544 97 65-01 (1L), 544 97 65-02 (0,1L)
Issue date	27-March-2019
Version number	01
Revision date	-
Supersedes date	-

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Lubrication of 2-stroke engine.
Uses advised against	Use in accordance with supplier's recommendations.

### 1.3. Details of the supplier of the safety data sheet

Company name	Husqvarna AB Drottninggatan 2 561 82 Huskvarna, Sweden
Telephone	+46 (0)36-14 65 00
Contact person	Accessory Department
E-mail	sds.info@husqvarnagroup.com
1.4. Emergency telephone number	+1-760-476-3961 (Access code 333721)

**General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

#### Precautionary statements

Prevention	Not assigned.
Response	Not assigned.
Storage	Not assigned.
Disposal	Not assigned.

**Supplemental label information** EUH210 - Safety data sheet available on request.

**2.3. Other hazards** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, low viscous	10 - < 20	129813-66-7 929-018-5	01-2119475608-26	-	
<b>Classification:</b>	Asp. Tox. 1;H304				
Polyisobutylene derivative	1 - < 5	Polymer	-	-	
<b>Classification:</b>	Aquatic Chronic 3;H412				

**Composition comments** Mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions. If high pressure injection under the skin occurs, always seek medical attention.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control centre immediately.

**4.2. Most important symptoms and effects, both acute and delayed** Exposure may cause temporary irritation, redness, or discomfort.

**4.3. Indication of any immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Symptoms may be delayed. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue and open wound dressing.

## SECTION 5: Firefighting measures

**General fire hazards** No unusual fire or explosion hazards noted.

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** The product is combustible, and heating may generate vapours which may form explosive vapour/air mixtures. During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

<b>Special protective equipment for firefighters</b>	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
<b>Special fire fighting procedures</b>	Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes. Wear protective clothing as described in section 8 of this safety data sheet. Keep unnecessary personnel away.
<b>For emergency responders</b>	Wear protective clothing as described in Section 8 of this safety data sheet.

**6.2. Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers or watercourses. Environmental manager must be informed of all major releases.

### 6.3. Methods and material for containment and cleaning up

Remove sources of ignition. The product is immiscible with water and will spread on the water surface. Following product recovery, flush area with water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Wash area with soap and water.

Small Spills: Absorb spillage with non-combustible, absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

### 6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Avoid prolonged exposure. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or promptly disposed of.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials (see section 10 of the SDS). Store in tightly closed container.

### 7.3. Specific end use(s)

Lubrication of 2-stroke engine.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

No exposure limits noted for ingredient(s).

#### Biological limit values

No biological exposure limits noted for the ingredient(s).

#### Recommended monitoring procedures

Follow standard monitoring procedures.

#### Derived no effect levels (DNELs)

Not available.

#### Predicted no effect concentrations (PNECs)

Not available.

### 8.2. Exposure controls

#### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

##### General information

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

##### Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

##### Skin protection

##### - Hand protection

Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. Use gloves with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm.

##### - Other

Wear suitable protective clothing.

##### Respiratory protection

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P2) can be used.

##### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

#### Hygiene measures

When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Private clothes and working clothes should be kept separately.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Orange.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	89.0 °C (192.2 °F) (DIN EN ISO 2592)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	45 mm <sup>2</sup> /s (40 °C) (ISO 3104)
<b>Explosive properties</b>	Not explosive.
<b>Oxidising properties</b>	Not oxidising.
<b>9.2. Other information</b>	
<b>Density</b>	0.87 g/cm <sup>3</sup> (15°C) DIN EN ISO 12185

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point.
<b>10.5. Incompatible materials</b>	Strong acids. Strong oxidising agents.
<b>10.6. Hazardous decomposition products</b>	By heating and fire, irritating vapours/gases may be formed. Carbon oxides.

## SECTION 11: Toxicological information

<b>General information</b>	Occupational exposure to the substance or mixture may cause adverse effects.
<b>Information on likely routes of exposure</b>	
<b>Inhalation</b>	Vapours may cause drowsiness and dizziness. Breathing of high concentrations may cause dizziness, light-headedness, headache, nausea and loss of co-ordination. Continued inhalation may result in unconsciousness. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Prolonged or repeated contact may dry skin and cause dermatitis.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Ingestion may cause irritation and malaise. Ingestion may result in vomiting; aspiration (breathing) of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.
<b>Symptoms</b>	Exposure may cause temporary irritation, redness, or discomfort.
<b>11.1. Information on toxicological effects</b>	
<b>Acute toxicity</b>	Not expected to be acutely toxic.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.

<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory sensitisation</b>	Based on available data, the classification criteria are not met.
<b>Skin sensitisation</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Mixture versus substance information</b>	No information available.
<b>Other information</b>	Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Components	Species	Test Results
Polyisobutylene derivative (CAS Polymer)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50 Daphnia	> 101 mg/l, 48 hours
Fish	LC50 Fish	31 mg/l, 96 hours

**12.2. Persistence and degradability** Expected to biodegrade slowly.

**12.3. Bioaccumulative potential** No data available.

**Partition coefficient n-octanol/water (log K<sub>ow</sub>)** Not available.

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** The product is insoluble in water. It will spread on the water surface while some of the components will eventually sediment in water systems. The volatile components of the product will spread in the atmosphere. The product adsorbs strongly to soil.

**12.5. Results of PBT and vPvB assessment** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

**12.6. Other adverse effects** Oil spills are generally hazardous to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Dispose in accordance with all applicable regulations. This material and/or its container must be disposed of as hazardous waste. Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

### RID

14.1. - 14.6.: Not regulated as dangerous goods.

## ADN

14.1. - 14.6.: Not regulated as dangerous goods.

## IATA

14.1. - 14.6.: Not regulated as dangerous goods.

## IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

#### Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

#### National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

### List of abbreviations

DNEL: Derived No-Effect Level.  
PNEC: Predicted No-Effect Concentration.  
PBT: Persistent, bioaccumulative and toxic.  
vPvB: Very Persistent and very Bioaccumulative.

### References

HSDB® - Hazardous Substances Data Bank  
ESIS (European chemical Substances Information System)  
Registry of Toxic Effects of Chemical Substances (RTECS)

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements not written out in full under Sections 2 to 15**

H304 May be fatal if swallowed and enters airways.  
H412 Harmful to aquatic life with long lasting effects.

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.