

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

|   |                                |
|---|--------------------------------|
| <b>Trade name or designation of the mixture</b> | Husqvarna Care and Shine Spray |
| <b>Registration number</b>                      | -                              |
| <b>Synonyms</b>                                 | None.                          |
| <b>Product code</b>                             | 593967901, 590855101           |
| <b>Issue date</b>                               | 04-July-2019                   |
| <b>Version number</b>                           | 01                             |
| <b>Revision date</b>                            | -                              |
| <b>Supersedes date</b>                          | -                              |

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

|                             |  |
|-----------------------------|--|
| <b>Identified uses</b>      | Care and clean for plastic parts on automowers.    |
| <b>Uses advised against</b> | Use in accordance with supplier's recommendations. |

**1.3. Details of the supplier of the safety data sheet**

|  |  |
|--|--|
| <b>Company name</b>                    | Husqvarna AB<br>Drottninggatan 2<br>561 82 Huskvarna, Sweden |
| <b>Telephone</b>                       | +46 (0)36-14 65 00   |
| <b>Contact person</b>                  | Accessory Department   |
| <b>E-mail</b>                          | sds.info@husqvarnagroup.com                                  |
| <b>1.4. Emergency telephone number</b> | +1-760-476-3961 (Access code 333721)                         |

**General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Classification according to Regulation (EC) No 1272/2008 as amended**

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

|                          |  |
|--------------------------|--|
| <b>Hazard pictograms</b> | None.  |
| <b>Signal word</b>       | None.  |
| <b>Hazard statements</b> | The mixture does not meet the criteria for classification. |

**Precautionary statements**

|                   |               |
|-------------------|---------------|
| <b>Prevention</b> | Not assigned. |
| <b>Response</b>   | Not assigned. |
| <b>Storage</b>    | Not assigned. |
| <b>Disposal</b>   | Not assigned. |

**Supplemental label information** EUH210 - Safety data sheet available on request.

Declaration according to Regulation (EC) No 648/2004:  
Anionic surfactants. <5%.  
Perfume  
Hexyl cinnamal.  
Limonene.  
2-Bromo-2-nitropropane-1,3-diol.  
1,2-benzisothiazol-3(2H)-one.  
Methylisothiazolinone.

**2.3. Other hazards** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

| Chemical name          | %  | CAS-No. / EC No.     | REACH Registration No. | Index No.    | Notes |
|------------------------|--|----------------------|------------------------|--------------|-------|
| Propan-2-ol            | 1 - ≤ 2.5  | 67-63-0<br>200-661-7 | -                      | 603-117-00-0 |       |
| <b>Classification:</b> | Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336 |                      |                        |              |       |

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.  
**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.  
**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.  
**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** Exposure may cause temporary irritation, redness, or discomfort.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** No unusual fire or explosion hazards noted.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water fog. Alcohol-resistant foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).  
**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** The product is combustible, and heating may generate vapours which may form explosive vapour/air mixtures. During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.  
**Special fire fighting procedures** Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes. Keep unnecessary personnel away.

**For emergency responders** Wear protective clothing as described in Section 8 of this safety data sheet.

**6.2. Environmental precautions** Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

### 6.3. Methods and material for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

### 6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Use only in well-ventilated areas. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using the product. When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

### 7.3. Specific end use(s)

Care and clean for plastic parts on automowers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### UK. EH40 Workplace Exposure Limits (WELs)

| Components                | Type | Value                  |
|---------------------------|------|------------------------|
| Propan-2-ol (CAS 67-63-0) | STEL | 1250 mg/m <sup>3</sup> |
|                           |      | 500 ppm                |
|                           | TWA  | 999 mg/m <sup>3</sup>  |
|                           |      | 400 ppm                |

#### Biological limit values

No biological exposure limits noted for the ingredient(s).

#### Recommended monitoring procedures

Follow standard monitoring procedures.

#### Derived no effect levels (DNELs)

Not available.

#### Predicted no effect concentrations (PNECs)

Not available.

#### Exposure guidelines

No exposure standards allocated.

### 8.2. Exposure controls

#### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

##### General information

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

##### Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

##### Skin protection

###### - Hand protection

Not normally needed. Use appropriate skin cream to prevent drying of skin.

###### - Other

Wear suitable protective clothing.

##### Respiratory protection

In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with combination filter (type A2/P2).

##### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

#### Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using, do not eat, drink or smoke. Private clothes and working clothes should be kept separately.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

|  |                                  |
|--|----------------------------------|
| Physical state                               | Liquid.                          |
| Form   | Liquid.                          |
| Colour                                       | Colourless.                      |
| Odour  | Characteristic.                  |
| Odour threshold                              | Not determined.                  |
| pH   | 8.5 (20 °C) DIN 19268            |
| Melting point/freezing point                 | Not determined.                  |
| Initial boiling point and boiling range      | 100 °C (212 °F)                  |
| Flash point                                  | > 100.0 °C (> 212.0 °F) ISO 2719 |
| Evaporation rate                             | Not determined.                  |
| Flammability (solid, gas)                    | Not applicable.                  |
| Upper/lower flammability or explosive limits |                                  |
| Flammability limit - lower (%)               | Not determined.                  |
| Flammability limit - upper (%)               | Not determined.                  |
| Vapour pressure                              | 23 hPa (20 °C)                   |
| Vapour density                               | Not determined.                  |
| Relative density                             | Not available.                   |
| Solubility(ies)                              | Miscible.                        |
| Partition coefficient (n-octanol/water)      | Not available.                   |
| Auto-ignition temperature                    | Not available.                   |
| Decomposition temperature                    | Not determined.                  |
| Viscosity                                    | Not determined.                  |
| Explosive properties                         | Not explosive.                   |
| Oxidising properties                         | Not oxidising.                   |

#### 9.2. Other information

|                    |  |
|--------------------|--|
| Bulk density       | Not applicable.                          |
| Density            | 1.00 g/cm <sup>3</sup> (20 °C) DIN 51757 |
| Solubility (other) | Not determined.                          |

## SECTION 10: Stability and reactivity

|  |   |
|--|---|
| 10.1. Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport.   |
| 10.2. Chemical stability                 | Material is stable under normal conditions.   |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.   |
| 10.4. Conditions to avoid                | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| 10.5. Incompatible materials             | Strong oxidising agents.  |
| 10.6. Hazardous decomposition products   | No hazardous decomposition products are known.  |

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

#### Information on likely routes of exposure

|              |   |
|--------------|---|
| Inhalation   | Vapours may cause drowsiness and dizziness. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful. |
| Skin contact | Prolonged skin contact may cause temporary irritation.  |
| Eye contact  | Direct contact with eyes may cause temporary irritation.  |
| Ingestion    | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.   |

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

| Components                               | Species   | Test Results       |
|--|---|--------------------|
| Propan-2-ol (CAS 67-63-0)                |   |                    |
| <b>Acute</b>                             |   |                    |
| <b>Dermal</b>                            |   |                    |
| LD50                                     | Rabbit  | 12870 mg/kg        |
| <b>Inhalation</b>                        |   |                    |
| <i>Vapour</i>                            |   |                    |
| LC50                                     | Rat   | 72.6 mg/l, 4 hours |
| <b>Oral</b>                              |   |                    |
| LD50                                     | Rat   | 4710 mg/kg         |
| <b>Skin corrosion/irritation</b>         | Based on available data, the classification criteria are not met. |                    |
| <b>Serious eye damage/eye irritation</b> | Based on available data, the classification criteria are not met. |                    |
| <b>Respiratory sensitisation</b>         | Based on available data, the classification criteria are not met. |                    |
| <b>Skin sensitisation</b>                | Based on available data, the classification criteria are not met. |                    |
| <b>Germ cell mutagenicity</b>            | Based on available data, the classification criteria are not met. |                    |
| <b>Carcinogenicity</b>                   | Based on available data, the classification criteria are not met. |                    |

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Propan-2-ol (CAS 67-63-0) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Mixture versus substance information** No information available.

**Other information** May cause allergic respiratory and skin reactions.

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

| Components                | Species | Test Results        |                        |
|---------------------------|---------|---------------------|------------------------|
| Propan-2-ol (CAS 67-63-0) |         |                     |                        |
| <b>Aquatic</b>            |         |                     |                        |
| <i>Acute</i>              |         |                     |                        |
| Crustacea                 | LC50    | Daphnia magna       | > 10000 mg/l, 24 hours |
| Fish                      | LC50    | Pimephales promelas | 9640 mg/l, 96 hours    |
| <i>Chronic</i>            |         |                     |                        |
| Crustacea                 | EC50    | Daphnia magna       | > 100 mg/l, 21 days    |
|                           | NOEC    | Daphnia magna       | 141 mg/l, 16 days      |
|                           |         |                     | 30 mg/l, 21 days       |

**12.2. Persistence and degradability** The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water (log Kow)

Propan-2-ol (CAS 67-63-0) 0.05

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

- 12.5. Results of PBT and vPvB assessment** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
- 12.6. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
- Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
- EU waste code** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
- Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
- Special precautions** Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

### RID

14.1. - 14.6.: Not regulated as dangerous goods.

### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

### IATA

14.1. - 14.6.: Not regulated as dangerous goods.

### IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Propan-2-ol (CAS 67-63-0)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

**Other EU regulations**

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

**Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**National regulations**

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**List of abbreviations**

DNEL: Derived No-Effect Level.  
PNEC: Predicted No-Effect Concentration.  
PBT: Persistent, bioaccumulative and toxic.  
vPvB: Very Persistent and very Bioaccumulative.  
LD50: Lethal Dose, 50%.  
LC50: Lethal Concentration, 50%.  
NOAEL: No observed adverse effect level.

**References**

ESIS (European chemical Substances Information System)  
Registry of Toxic Effects of Chemical Substances (RTECS)  
HSDB® - Hazardous Substances Data Bank

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements not written out in full under Sections 2 to 15**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.