# SAFETY DATA SHEET



1. Identification

**Product identifier** Husqvarna Dielectric Bar and Chain Oil

Other means of identification

**Product code** 599695301 [Factory], 599727201 [Aftermarket]

Recommended use Chain Oil **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier Husqvarna Group

**Address** 9335 Harris Corners Parkway

Charlotte, NC 28269

USA

800-487-5951 Telephone number

**Emergency telephone** +1-760-476-3961 (Access code 333721)

number

2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

**Hazard symbol** None. Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

Observe good industrial hygiene practices. Prevention

Wash hands after handling. Response

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

The manufacturer lists no ingredients as hazardous to health according to OSHA 29 CFR 1910.1200.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special Treat symptomatically.

treatment needed

956766 Version #: 01 Revision date: -Issue date: 21-January-2021 Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

A solid stream of water or foam directed into hot, burning liquid can cause frothing. Burning may produce carbon monoxide and carbon dioxide.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Material will burn in a fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices. Maximum handling temperature 60°C (140°F). "Empty" containers retain product residue (liquid or vapor) and can be dangerous. Do not cut or weld on empty drums unless they are thoroughly cleaned.

Conditions for safe storage, including any incompatibilities

Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Highly refined petroleum oil PEL	5 mg/m3	Mist.
	0000 / 0	
	2000 mg/m3	
	500 ppm	
US. ACGIH Threshold Limit Values		
Components Type	Value	Form
Highly refined petroleum oil TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Chemical Hazards		
Components Type	Value	Form
Highly refined petroleum oil Ceiling	1800 mg/m3	
STEL	10 mg/m3	Mist.
TWA	5 mg/m3	Mist.
logical limit values No biological exposure limits noted for the ingre	dient(s).	

Husqvarna Dielectric Bar and Chain Oil

956766 Version #: 01 Revision date: - Issue date: 21-January-2021 2 / 6

# Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear nitrile or neoprene gloves for routine industrial use. Use triple gloves for spill response.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Selection and use of

respiratory protective equipment should be in accordance with OSHA General Industry Standard

29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormClear liquid.ColorBrown.

**Odor** Mild petroleum odor.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Wide range

range

Flash point 302.0 °F (150.0 °C)
Evaporation rate Not determined.
Flammability (solid, gas) Not applicable.

# Upper/lower flammability or explosive limits

Flammability limit - lower

%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not determined.

Vapor density Not determined.

Solubility(ies)

Solubility (water) Negligible

**Solubility (solvents)** Miscible in most petroleum solvents.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 67 cSt

Viscosity temperature 104 °F (40 °C)

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

VOC Not determined.

SDS US

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Prolonged skin contact may cause temporary irritation. Skin contact Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

Not expected to be acutely toxic. **Acute toxicity** 

**Product Species Test Results** 

Husqvarna Dielectric Bar and Chain Oil (CAS -)

Acute Dermal

LD50 > 5000 mg/kg

Inhalation

LC50 > 20 mg/l, 4 hours

Oral

LD50 > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

#### Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### NTP Report on Carcinogens

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Husqvarna Dielectric Bar and Chain Oil

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

956766 Version #: 01 Revision date: -Issue date: 21-January-2021

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Husqvarna Dielectric Bar and Chain Oil (CAS -)

Acute

Algae EC50 Algae and aquatic plants > 100 mg/l

**Aquatic** 

Acute

Crustacea EL50 Daphnia magna > 100 mg/l, 48 hours Fish LL50 Fish > 100 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

The product is insoluble in water.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not established.

# 15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Toxic Substances Control Act (TSCA)** 

All components on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Husqvarna Dielectric Bar and Chain Oil
956766 Version #: 01 Revision date: - Issue date: 21-January-2021

SARA 311/312 Hazardous

chemical

#### SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### US. Rhode Island RTK

Not regulated.

# **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Highly refined petroleum oil (CAS N/A)

# 16. Other information, including date of preparation or last revision

Issue date 21-January-2021

Revision date - Version # 01

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0 Personal protection: B

**NFPA** ratings



#### **Disclaimer**

Husqvarna Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Husqvarna Dielectric Bar and Chain Oil

956766 Version #: 01 Revision date: - Issue date: 21-January-2021 6 / 6