

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Husqvarna 2-Stroke Oil HP

Registration number

Negistration named

Synonyms None.

Product code 587 80 85-01 (0.1L.), 587 80 85-10 (1L.), 587 80 85-11 (1L.), 587 80 85-12 (1L.), 587 80 85-20

(4L.), 587 80 85-30 (20L.), 587 80 85-40 (208L.)

Issue date 02-March-2018

Version number 02

Revision date 05-April-2023 Supersedes date 02-March-2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubrication of 2-stroke engine.

Uses advised againstUse in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Company name Husqvarna UK Ltd

Preston Road, Aycliffe Industrial Park Newton Aycliffe, County Durham, DL5 6UP

Telephone +46 (0)36-14 65 00 **Contact person** Accessory Department

E-mail sds.info@husqvarnagroup.com

1.4. Emergency telephone

number

+1-760-476-3961 (Access code 333721)

General emergency 112 or 999 SDS/Product information may not be available for the Emergency

Service.

Non-emergency medical

helpline

111 SDS/Product information may not be available for the Emergency Service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental information on

the label

EUH210 - Safety data sheet available on request.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

Husqvarna 2-Stroke Oil HP SDS Great Britain

942437 Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, low viscous	10 - < 20	-	01-2119826592-36-XXXX	-	
		934-954-2			
Classificat	ion: Asp. Tox. 1	1;H304			
Polyisobutylene derivative	1 - < 5	Polymer	-	-	
		-			
Classificat	ion: Aquatic Ch	ronic 3;H412			

Composition comments Mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346).

> All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. In case of

rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

If high pressure injection under the skin occurs, always seek medical attention.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue

and open wound dressing.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

2/7

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

Husqvarna 2-Stroke Oil HP SDS Great Britain

Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Lubrication of 2-stroke engine. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Glove material: Nitrile butyl rubber (NBR). Use gloves

with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm. Wear suitable gloves

tested to EN374.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Colour Blue.

Odour Characteristic. **Odour threshold** Not available.

Husqvarna 2-Stroke Oil HP SDS Great Britain

Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

Material is non soluble in water. pН

Melting point/freezing point Not determined. Initial boiling point and boiling Not determined.

range

145 °C (293 °F) (DIN EN ISO 2592) Flash point

Not determined. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not determined.

Explosive limit - upper

Not determined.

(%)

Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative density

Solubility(ies)

Solubility (water) Insoluble.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water)

Not determined. **Auto-ignition temperature** Not determined. **Decomposition temperature**

63 mm²/s (DIN EN ISO 3104) **Viscosity**

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

9.2. Other information

0.87 g/cm3 (15 °C) (DIN EN ISO 12185) Density

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components **Species Test Results**

Hydrocarbons, low viscous (CAS -)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50 Rat > 5266 mg/m3, 4 Hours

Husqvarna 2-Stroke Oil HP SDS Great Britain

Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

Components **Species Test Results** Oral Rat LD50 > 5000 mg/kg Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye irritation Respiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Specific target organ toxicity -Based on available data, the classification criteria are not met. single exposure Specific target organ toxicity -Based on available data, the classification criteria are not met. repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard** Mixture versus substance No information available.

information

Other information

Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components **Species Test Results** Hydrocarbons, low viscous (CAS -) Aquatic Acute Crustacea LL50 Crustacea > 3183 mg/l, 48 hours Fish LL50 Fish > 1028 mg/l, 96 hours (OECD 203) Polyisobutylene derivative (CAS Polymer) Aquatic Acute Crustacea EC50 Daphnia > 101 mg/l, 48 hours Fish LC50 Fish 31 mg/l, 96 hours

12.2. Persistence and

degradability

Expected to biodegrade slowly.

12.3. Bioaccumulative potential No data available. Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

Oil spills are generally hazardous to the environment. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Husqvarna 2-Stroke Oil HP SDS Great Britain

Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018 **Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations. This material and/or its container must be disposed of

as hazardous waste.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Not established.

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

Husqvarna 2-Stroke Oil HP SDS Great Britain

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

The classification for health and environmental hazards is derived by a combination of calculation

EC50: Effective Concentration 50%.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

LC50: Lethal Concentration 50%.

LD50: Lethal Dose 50%. LL50: Lethal level, 50%.

ECHA CHEM

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

methods and test data, if available.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

vPvB: very Persistent, very Bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

This SDS contains revisions in the following section(s):

1, 2, 3, 8, 9, 11, 12, 15, 16

Training information

Disclaimer

Follow training instructions when handling this material.

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Husqvarna 2-Stroke Oil HP SDS Great Britain